

**INEOS Pigments** 

6752 Baymeadow Drive Glen Burnie, MD 21060

Tel: +1 (410) 229-4400 Fax: +1 (410) 229-4415 www.ineos.com

## RCL**595** Plastics

Description: RCL595 is a high performance, chloride-process rutile titanium dioxide pigment most suited to use

in applications requiring superior optical properties, excellent dispersion and durability. RCL595 is

particularly suited for applications such as PVC plastisols.

**Key Features:** • Highest opacity

Exceptional tint strength

Extreme whiteness

Excellent dispersibility

· High multipurpose durability

Applications: RCL595 is recommended for evaluation in:

PVC compounds\*
 PVC plastisols
 Flexible PVC

Liquid color systems

RCL595 is not designed to meet durability requirements for exterior rigid PVC compounds, and for which RCL696 is

recommended for evaluation.

Typical

• TiO<sub>2</sub> content: 95%

Properties:

• Surface treatment: alumina, zirconia, organic

Oil absorption: 19g/100g
pH (10% suspension): 7.5
Specific gravity: 4.2
Density: 34.2 lbs/gal

Additional Information:

RCL595 conforms to:

• ECOIN: listed under EINECS number 236-675-5

• CAS number 13463-67-7

• Color Index 77891, Pigment White 6

Regulatory Status: Due to the wide range of applications for RCL595, this subject is too diverse to cover adequately in a technical datasheet. Declarations of conformity, including food contact compliance, can be

provided on request. Please contact your INEOS Pigments sales representative.

Unless otherwise provided by applicable law, nothing contained in this literature shall be deemed a representation or warranty of any kind, either expressed or implied. The recommendations and suggestions given in this literature are presented for your own investigation and verification. The products of INEOS Pigments, its subsidiaries and affiliates ("Seller") are sold only on the basis of conforming to specifications, and subject to Seller's standard Terms and Conditions of Sale, but without warranty, expressed or implied, in law or in fact, of merchantability or fitness for a particular purpose and upon the condition that purchasers make their own tests to determine the suitability of such products for their particular purposes. Statements concerning the possible use of Seller's products or processes described are not intended as recommendations or permission to use the same in the infringement of any patent, or to practice a patented invention without a license. By reason of a lack of knowledge as to specific end uses of this product, no representation or warranty is made as to the conformance of the product with food contact laws or regulations.

See the Safety Data Sheet (SDS) for this product for safety information prior to use.