

Ammonia, conditioned with water

CAS No. 7664-41-7

Specification:	Test	Specification	Test r	nethod *	Procedure	
	Ammonia	99,7 - 99,8 % by wt.	3002-	0502802-13D	Calculation	
	Water	0.2 - 0.3 % by wt.	3002-	0306602-15D	Karl-Fischer-Titration	
	Oil	max. 5 mg/kg	3002-	0100703-12D		
	* Refers to the analysis methods used when compiling this product information sheet					
	The analysis is conducted before water addition of 0,2 % by wt.					
Physical Data:	Mologular woi	aht		17.02		
	Molecular weight			17.03		
	Boiling point at 1013 mbar			-33,3°C		
	Melting point			-77,7°C		
	Density (liquid) at 20°C and 8.5 bar			0,61g/ml		
	Density of the Gas at 0°C, 1013 mbar			0,77g/l		
	Density ratio relative to air			0,597		
	Vapour press	ure at 20°C		8,57 bar		
	Critical tempe	erature		132,4°C		
	Critical pressu	ıre		113,0 bar		

January 2016

EXCLUSION OF LIABILITY

Information contained in this publication is accurate to the best of the knowledge and belief of INEOS and its affiliates. However, INEOS makes no representations or warranties express or implied, regarding the completeness, quality or accuracy of this information and any decisions you make based on the information contained herein are your sole responsibility. Any information or advice obtained from INEOS otherwise than by means of this publication and whether relating to INEOS materials or other materials, is also given in good faith. However, it remains at all times the responsibility of the customer to ensure that INEOS materials are suitable for the particular purpose intended. Insofar as materials not manufactured or supplied by INEOS are used in conjunction with or instead of INEOS materials, the customer should arrange to obtain from the manufacturer or supplier all technical data and other information relating to such materials. Except as required by mandatory law, INEOS accepts no liability whatsoever arising out of the use of information supplied herein, the use of other materials in lieu of INEOS materials or the use of INEOS materials in conjunction with such other materials.

The name INEOS and the INEOS logo are trademarks of INEOS or its affiliated companies. $\@innered{\textcircled{\circ}}$ 2007