



Durasyn PAO	174i	176	180r	180i	185
Viscosity at 100°C (cSt)	50	69	98	134	170
Viscosity at 40°C (cSt)	412	597	928	1,261	1,627
Viscosity Index	184	194	198	215	225
Pour Point (°C)	-47	-42	-40	-37	-39
Flash Point (°C)	286	272	290	290	274
Water (ppm)	8	8	8	8	6
Bromine Number (g Br ₂ /100 g)	0.2	0.2	0.2	0.2	0.2
Total Acid Number (mg KOH/g)	<0.1	<0.1	<0.1	<0.1	<0.1
Specific Gravity at 15.6°C	0.85	0.85	0.85	0.85	0.85
Appearance	Clear & Bright	Clear & Bright	Clear & Bright	Clear & Bright	Clear & Bright

EXCLUSION OF LIABILITY

Technical information contained herein is furnished without charge or obligation, and is given and accepted at recipient's sole risk. Because conditions of use may vary and are beyond our control, INEOS makes no representation about, and is not responsible or liable for the accuracy or reliability of data, nor for toxicological effects or Industrial Hygiene requirements associated with particular uses of any product described herein. Nothing contained in this document shall be considered a recommendation for any use that may infringe patent rights, or an endorsement of any particular material, equipment, service, or other item not supplied by INEOS. The "Properties" and "Applications" listed in this document are not specifications. They are provided as information only and in no way modify, amend, enlarge, or create any specification or warranty, and ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE EXCLUDED. The name INEOS is a trademark of INEOS Capital Limited.