

SAFETY DATA SHEET

1. Identification

Product identifier Titanium Dioxide - RCL595

Other means of identification None.

Recommended use Pigment.

Recommended restrictions For use in industrial installations only.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer/Supplier INEOS Pigments USA Inc.

6752 Baymeadow Drive Glen Burnie, MD, USA 21060

Telephone +1 410-762-1000 **Fax** +1 410-229-4415

Contact personProduct Responsibility ManagerE-mailregulatory.pigments@ineos.com

Emergency telephone

number

For Chemical Emergency ONLY, call CHEMTREC:

+1 800-424-9300 (US)

+1 703-527-3887 (International)

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Reproductive toxicity Category 2

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Suspected of damaging fertility or the unborn child.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wear protective gloves/protective clothing/eye protection/face protection.

Response If exposed or concerned: Get medical advice/attention.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Titanium Dioxide	13463-67-7	> 80
Alumina	21645-51-2	< 5
Zirconium dioxide	1314-23-4	< 5

Titanium Dioxide - RCL595 SDS US

955237 Version #: 02 Revision date: 21-October-2021 Issue date: 16-November-2020

Chemical name CAS number %

Trimethylolpropane 77-99-6 < 1

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists. Eye contact Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur. Most important Dusts may irritate the respiratory tract, skin and eyes.

symptoms/effects, acute and delaved

Indication of immediate Provide general supportive measures and treat symptomatically. Keep victim under observation. medical attention and special Symptoms may be delayed. treatment needed

> IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

General information

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing Do not use water jet as an extinguisher, as this will spread the fire. media

Specific hazards arising from During fire, gases hazardous to health may be formed. the chemical

Special protective equipment Self-contained breathing apparatus and full protective clothing must be worn in case of fire. and precautions for firefighters

Move containers from fire area if you can do so without risk. Fire fighting equipment/instructions Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear Personal precautions, appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved protective equipment and respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Ensure emergency procedures adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Avoid the generation of dusts during clean-up. Collect dust using a vacuum cleaner equipped with Methods and materials for HEPA filter. The product is immiscible with water and will sediment in water systems. Stop the flow containment and cleaning up of material, if this is without risk.

> Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. For waste disposal, see section 13 of the SDS.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling Obtain special instructions before use. Do not handle until all safety precautions have been read

> and understood. Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Store locked up. Store in tightly closed container. Store in a well-ventilated place. Store away from Conditions for safe storage, incompatible materials (see Section 10 of the SDS). including any incompatibilities

Titanium Dioxide - RCL595 SDS US

955237 Version #: 02 Revision date: 21-October-2021 Issue date: 16-November-2020

8. Exposure controls/personal protection

Occupational exposure limits

Components	for Air Contaminants (29 CFR 1910 Type	Value	Form
Titanium Dioxide (CAS 13463-67-7)	PEL	15 mg/m3	Total dust.
Zirconium dioxide (CAS 1314-23-4)	PEL	5 mg/m3	
US. OSHA Table Z-3 (29 CFI Components	R 1910.1000) Type	Value	Form
Titanium Dioxide (CAS 13463-67-7)	TWA	5 mg/m3	Respirable fraction.
,		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
Zirconium dioxide (CAS 1314-23-4)	TWA	5 mg/m3	Respirable fraction.
1314-23-4)		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
US. ACGIH Threshold Limit Components	Values Type	Value	Form
Alumina (CAS 21645-51-2)	TWA	1 mg/m3	Respirable fraction.
Titanium Dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
Zirconium dioxide (CAS 1314-23-4)	STEL	10 mg/m3	
	TWA	5 mg/m3	
US. NIOSH: Pocket Guide to Components	o Chemical Hazards Type	Value	
Zirconium dioxide (CAS 1314-23-4)	STEL	10 mg/m3	
	TWA	5 mg/m3	
logical limit values	No biological exposure limits noted	for the ingredient(s).	
oosure guidelines			
oropriate engineering atrols	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposure below the recommended exposure limits.		
ividual protection measures, Eye/face protection	such as personal protective equip Wear safety glasses with side shiel		
Skin protection Hand protection	Wear appropriate chemical resistar mm Breakthrough time: > 480 min.		rubber Layer thickness: 3 to
Skin protection Other	Use of an impervious apron is reco	mmended. Wear appropriate che	emical resistant clothing.
Respiratory protection	Use a NIOSH/MSHA approved researceeding the exposure limits. Chedust and mist filter.	pirator if there is a risk of exposu	re to dust/fume at levels

Titanium Dioxide - RCL595 SDS US

955237 Version #: 02 Revision date: 21-October-2021 Issue date: 16-November-2020

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Solid.

Form Dry powder.
Color White.
Odor None.

Odor threshold

pH

Not available.

Not available.

Melting point/freezing point

3326 °F (1830 °C)

Initial boiling point and boiling

5381.6 °F (2972 °C)

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.
Explosive limit - upper (%) Not available.
Vapor pressure Not available.
Vapor density Not available.
Relative density 3.7 - 4.1

Solubility(ies)

Solubility (water) < 0.1 % (Insoluble.)

Solubility (solvents) Insoluble.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing.

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials None.

Hazardous decompositionNo hazardous decomposition products are known.

products

11. Toxicological information

Information on likely routes of exposure

Inhalation Dust may irritate respiratory system. Prolonged inhalation may be harmful.

Skin contact Dust or powder may irritate the skin.

Eye contact Dust may irritate the eyes.

Ingestion Expected to be a low ingestion hazard.

Titanium Dioxide - RCL595 SDS US

Symptoms related to the physical, chemical and toxicological characteristics Dusts may irritate the respiratory tract, skin and eyes.

Information on toxicological effects

Acute toxicity

Product Species Test Results

Titanium Dioxide - RCL595 (CAS Mixture)

Acute

Inhalation

Solid

LC50 Rat 6.82 mg/l, 4 h

Oral

Solid

LD50 Rat 5000 mg/kg

Components **Test Results Species**

Alumina (CAS 21645-51-2)

Acute

Oral

LD50 Rat > 5000 mg/kg

Titanium Dioxide (CAS 13463-67-7)

Acute

Oral

> 5000 mg/kg LD50 Rat

Zirconium dioxide (CAS 1314-23-4)

Acute

Inhalation

Aerosol

LC50 Rat > 4.3 mg/l, 4 Hours

Oral

LD50 Rat > 5000 mg/kg

Skin corrosion/irritation

Serious eye damage/eye

irritation

Prolonged skin contact may cause temporary irritation. Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity Risk of cancer cannot be excluded with prolonged exposure.

IARC Monographs. Overall Evaluation of Carcinogenicity

Titanium Dioxide (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

NTP Report on Carcinogens

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Reproductive toxicity Suspected of damaging fertility or the unborn child.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

Not classified.

repeated exposure **Aspiration hazard**

Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

Titanium Dioxide - RCL595 SDS US 5/8

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components Species **Test Results**

Zirconium dioxide (CAS 1314-23-4)

Aquatic Acute

Crustacea EC50 Daphnia magna > 1000 mg/l, 48 hours Fish LC50 Danio rerio > 100 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential No data available.

Mobility in soil The product is insoluble in water.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this material.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

All components of the mixture on the TSCA 8(b) inventory are designated

6/8

disposal.

14. Transport information

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910,1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Toxic Substances Control Act (TSCA)

Not listed.

SARA 311/312 Hazardous Yes

chemical

Titanium Dioxide - RCL595 SDS US

955237 Version #: 02 Revision date: 21-October-2021 Issue date: 16-November-2020 Classified hazard categories

Reproductive toxicity

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Titanium Dioxide (CAS 13463-67-7) Zirconium dioxide (CAS 1314-23-4)

US. New Jersey Worker and Community Right-to-Know Act

Titanium Dioxide (CAS 13463-67-7)

US. Pennsylvania Worker and Community Right-to-Know Law

Titanium Dioxide (CAS 13463-67-7)

US. Rhode Island RTK

Titanium Dioxide (CAS 13463-67-7) Zirconium dioxide (CAS 1314-23-4)

California Proposition 65



WARNING: This product can expose you to Titanium Dioxide, which is known to the State of California to

cause cancer. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Titanium Dioxide (CAS 13463-67-7) Listed: September 2, 2011

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Titanium Dioxide (CAS 13463-67-7)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information, including date of preparation or last revision

Issue date 16-November-2020
Revision date 21-October-2021

Version # 02

Titanium Dioxide - RCL595 SDS US

955237 Version #: 02 Revision date: 21-October-2021 Issue date: 16-November-2020

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

List of abbreviations

PEL: Permissible Exposure Limit. EC50: Effective Concentration, 50%. LC50: Lethal Concentration, 50%.

LD50: Lethal Dose, 50%. TWA: Time Weighted Average.

Disclaimer

INEOS Pigments cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

This product is a pigment intended for industrial use. This product is not intended for consumption, cosmetic, pharmaceutical, or medical end use. INEOS will not knowingly sell product for use into these applications.

Titanium Dioxide - RCL595 SDS US